

## **MANY STYLES AVAILABLE FOR:**

- GENERAL USE
- ALEMITE
- BALCRANK
- COXREELS

• DURO

GRACO

- HOSETRACT

HANNAY

- IIVACI
- LEGACY LEVELWIND
- LINCOLN
- REELCRAFT
- SAMSON



# **SVI International, Inc.** 815-748-0200 • 800-321-8173

155 Harvestore Drive • DeKalb, IL 60115

www.hosestops.com www.sviinternational.com www.vpseal.com www.mlmliftsandmfg.com





### BP-1525 - Standard

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.611" ID 1.14" Thick



### BP-1526 - Standard

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.78" ID 1.14" Thick



### **BP-1527 - Standard**

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.522" ID 1.14" Thick



### **BP-1528L** - Larger OD Style

### **FOR 11/16" ID HOSE**

**Hose Stop Dimensions:** 

4.25" OD 1.375" ID 2" Thick



### **BP-1525L** - Larger OD Style

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.611" ID 1.14" Thick



### **BP-1526L** - Larger OD Style

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.78" ID 1.14" Thick



## BP-1527L - Larger OD Style

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.522" ID 1.14" Thick



### **BP-1529L** - Larger OD Style

### **FOR 29/32" ID HOSE**

Hose Stop Dimensions:

4.25" OD 1.875" ID 2" Thick

## FOR ALEMITE



### **BP-1532-71** (Ref 337437)

### FOR .318" TO .846" OD HOSE

**Hose Stop Dimensions:** 

2.5" OD 0.625" ID 1.109" Thick



### **BP-1531-06** (Ref 339538)

### FOR 1/4" ID DUAL HOSE

**Hose Stop Dimensions:** 

3" OD 0.484" ID 1.25" Thick

For .530" OD Dual Hose



### **BP-1531-05** (Ref 339389)

### FOR 3/4" ID HOSE

Hose Stop Dimensions:

3" OD 1" ID 1.25" Thick

For 1.06" to 1.30" OD Hose



### **BP-1531-11** (Ref 339389-1)

FOR 1" ID HOSE

Hose Stop Dimensions: 3.5" OD 1.406" ID

3.5" OD 1.406" ID 2.88" Thick

For 1.39" to 1.55" OD Hose



### **BP-1531-10** (Ref 339389-2)

### FOR 3/4" ID FUEL HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.031" ID 2.88" Thick

For 1.06" to 1.38" OD Fuel Hose



### **BP-1531-07** (Ref 339389-3)

FOR 3/8" ID DUAL HOSE

**Hose Stop Dimensions:** 

3.5" OD 0.625" ID 1.938" Thick

For .680" OD Dual Hose



## **BP-1532-77** (Ref 339389-4)

FOR .810" OD DUAL HOSE



### **RESOURCE ENGINEERING, What is it?**

SVI operates with a staff of fully degreed mechanical engineers, and resource engineering is a practice employed to provide customers with alternative solutions for parts and products that others simply abandon or price too expensively. This means SVI will re-continue parts that others have discontinued or make overpriced parts available for a reasonable cost. All you have to do to experience the benefits of SVI is provide input on parts or kits that could be available from SVI, and engineering goes to work.

SVI specializes in innovative cost-reduction resource engineering. Tell us you want a better priced repair kit for DEF diaphragm pumps, lower cost repair parts for hose reels, air motor rebuild kits for lubrication equipment, lower cost dry lock nozzle repair kits, or whatever. You name it, tell us about your demand and put SVI to work for you as your cost-saving source—SVI is your Answer.



### **BP-1527** (Ref 2230-009)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

0.522" ID 1.14" Thick



### **BP-1525** (Ref 2230-025)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.611" ID 1.14" Thick



### **BP-1526** (Ref 2230-010)

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

0.78" ID 2.75" OD 1.14" Thick

### **BP-1531-10** (Ref 2230-011)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.031" ID 2.88" Thick

## **BP-1531-11** (Ref 2230-012)

## FOR 1" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.406" ID 2.88" Thick



### **BP-1532-06** (Ref 2230-015)

### **CONSOLE STOP**

**Hose Stop Dimensions:** 

2.95" OD 0.875" ID 3" Tall

For: Lube Console

## FOR COXREELS / COXWELLS



### **BP-1532-11** (Ref 131)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

2.56" OD 0.484" ID 1.62" Thick



### BP-1532-12 (Ref 131-3)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2.56" OD 0.625" ID 1.62" Thick



### **BP-1526L** (Ref 131-4)

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.78" ID 1.14" Thick



### **BP-1532-14** (Ref 430)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.125" ID 1.5" Thick



### **BP-1532-15** (Ref 20214)

## FOR 1" ID HOSE

**Hose Stop Dimensions:** 

5" OD 1.5" ID 2" Thick



### BP-1532-16 (Ref 20215)

### **FOR 1-1/4" ID HOSE**

**Hose Stop Dimensions:** 

1.75" ID 5" OD 2" Thick



## **BP-1532-17** (Ref 20216)

### **FOR 1-1/2" ID HOSE**

**Hose Stop Dimensions:** 

5" OD 2.125" ID 2" Thick



### BP-1532-18 (Ref 20217)

### FOR 2" ID HOSE

**Hose Stop Dimensions:** 

5" OD 2.25" ID 2" Thick



### **BP-1532-19** (Ref 633)

## FOR 1/4" ID DUAL HOSE

**Hose Stop Dimensions:** 

3.5" OD 0.281" ID 1.5" Thick



### **BP-1526L** (Ref 254)

## FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.78" ID 1.14" Thick



If there are any molded rubber items that you use in any quantity, send us a sample and we will work to reduce your cost. Put SVI resource engineering to work for you. There are literally thousands of molded rubber items in all types of industrial applications that are way overpriced. SVI will put these products in your hands for the proper value and price you would expect to pay. Send us a sample to see how well SVI can perform.





www.hosestops.com

### **FOR DURO**



### **BP-1532-11** (Ref 025-03A)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

2.56" OD 0.484" ID 1.62" Thick



### **BP-1532-12** (Ref 025-03B)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2.56" OD 0.625" ID 1.62" Thick



### BP-1526L (Ref 025-03C)

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.78" ID 1.14" Thick



### **BP-1532-14** (Ref 025-04A)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.125" ID 1.5" Thick



### **BP-1532-15** (Ref 025-04B)

### FOR 3/4" ID DUAL HOSE

**Hose Stop Dimensions:** 

5" OD 1.5" ID 2" Thick



Also see page 7 for swivels and latch kits for Graco Reels



### **BP-1527L** (Ref 218340, 218-340)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.522" ID 1.14" Thick



### BP-1525L (Ref 218341, 218-341)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.611" ID 1.14" Thick



### **BP-1526L** (Ref 24D133, 24D-133)

### FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.78" ID 1.14" Thick



### **BP-1525L** (Ref 24D132, 24D-132)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 1.14" Thick 0.611" ID



## BP-1532-14 (Ref 237873, 237-873)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.125" ID 1.5" Thick



### **BP-1532-46** (Ref 237872, 237-872)

### FOR 5/8" ID HOSE

**Hose Stop Dimensions:** 

3.62" OD 1" ID 1.5" Thick



### **BP-1528L** (Ref 237874, 237-874)

## **FOR 11/16" ID HOSE**

Hose Stop Dimensions:

4.25" OD 1.375" ID 2" Thick



### **BP-1529L** (Ref 24R060, 24R-060)

## **FOR 29/32" ID HOSE**

**Hose Stop Dimensions:** 

4.25" OD 1.875" ID 2" Thick



### BP-1532-49 (Ref 24R061, 24R-061)

### **FOR 1-1/2" ID HOSE**

**Hose Stop Dimensions:** 

4.5" OD 2.031" ID 1.5" Thick







## **FOR HANNAY**



### **BP-1532-81** (Ref HS-35)

### FOR UP TO 1" ID HOSE

**Hose Stop Dimensions:** 

3.47" OD Specify 2.81" Thick

Hole Size



### **BP-1532-83** (Ref HS-45)

### FOR 1-1/4" TO 2" ID HOSE

Hose Stop Dimensions:

4.5" OD Specify 4.15" Thick

Hole Size

**FOR LESS THAN 1" ID HOSE** 

## **BP-1532-85** (Ref HS-3)



**Hose Stop Dimensions:** 

2.94" OD

Specify 2.94" Thick

Hole Size



### BP-1532-82 (Ref HS-35 Twin)

### FOR 1/4" TO 1/2" ID DUAL HOSE

**Hose Stop Dimensions:** 

3.47" OD Specify 2.81" Thick

Hole Size



### **BP-1532-84** (Ref HS-45 Twin)

### FOR 3/4" ID DUAL HOSE

**Hose Stop Dimensions:** 

4.5" OD Specify Hole Size 4.15" Thick

Per Hole



### **BP-1532-86** (Ref HS-3 Twin)

### FOR LESS THAN .47" ID **DUAL HOSE**

**Hose Stop Dimensions:** 

2.94" OD Specify Hole Size 2.94" Thick

## FOR HOSETRACT



### **BP-1527** (Ref 1234A)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.522" ID 1.14" Thick

### **BP-1525** (Ref 1233A)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

0.611" ID 2.75" OD 1.14" Thick



### **BP-1526** (Ref 1232A)

**Hose Stop Dimensions:** 

2.75" OD 0.78" ID



### **BP-1531-05** (Ref 1235A)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

1.25" Thick 3" OD 1" ID



## **BP-1531-11** (Ref 1236A)

### FOR 1" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.406" ID 2.88" Thick



### FOR 1/2" ID HOSE

1.14" Thick

## FOR LEGACY LEVELWIND



### **BP-1532-61** (Ref RP005026)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2" OD

0.89" ID 2" Thick



### **BP-1532-62** (Ref RP005028)

### FOR 5/8" ID HOSE

**Hose Stop Dimensions:** 

2.36" OD 0.5" ID

1.56" Thick



### THOUSANDS AND THOUSANDS

SVI is the largest single supplier of repair parts for most makes and models of automotive lifts. SVI stocks thousands and thousands of parts for immediate shipment. In addition, SVI is a large supplier of popular accessory items used on automotive lifts such as the air / electric Power Station™ that is frequently installed directly on the lift column to provide more productive tech access to an air and electric supply for tool use and tire inflation.





800-321-8173

www.hosestops.com

### FOR REELCRAFT



### **BP-1527** (Ref 1-HR1004-A)

### FOR 1/4" ID HOSE

Hose Stop Dim: 2.75" OD 0.522" ID 1.14" Thick For Series: 4000, 5000, RT400, 3100, 6000,

L4500, L5000, DP



### FOR 3/8" ID HOSE

Hose Stop Dim: 3.625" OD 0.611" ID 1.14" Thick For Series: 4000, 5000, D8000, RT400, RT600, 6000



### FOR 3/8" ID HOSE

Hose Stop Dim: 3" OD 0.656" ID 1.25" Thick For Series: 7000, 80000, E8000, 3100, RT800,

5000, D80000, DP

### BP-1526L (Ref 2-HR1004-3)

### FOR 3/8" OR 1/2" ID HOSE

Hose Stop Dim: 3.625" OD 0.78" ID 1.14" Thick For Series: 5000, A5005, 7000, 80000, D8000,

E8000, RT800, DP

### **BP-1531-05** (Ref 3-HR1004-3)

### FOR 3/4" ID HOSE

Hose Stop Dim: 3" OD 1" ID 1.25" Thick For Series: 7000, 8000, D8000, 80000,

GC7000, F7000, F80000, L7000, DGM

### **BP-1531-06** (Ref 8-HR1004-3)

### FOR 5/8" ID DUAL HOSES

For Series: TW5000, TW7000, 3100T, TW80000, TWD80000

**BP-1531-07** (Ref 600521) FOR 3/8" ID DUAL HOSES

Hose Stop Dim: 3.5" OD 0.625" ID 1.938" Thick

## BP-1531-08 (Ref 600522) FOR 1/2" ID DUAL HOSES

600

For Series: 3100T, 4800T, TH8000

## **BP-1531-09** (Ref 2-HR1005)

## FOR 1/2" ID HOSE

Hose Stop Dim: 3.5" OD 0.812" ID 2.88" Thick For Series: D9000, E9000, 3100, 4800

Hose Stop Dim: 3.5" OD 0.781" ID 1.938" Thick

## **BP-1531-10** (Ref 3-HR1005)

### FOR 3/4" ID HOSE

Hose Stop Dim: 3.5" OD 1.031" ID 2.88" Thick For Series: D9000, E9000, FE9000, 3100, 4800, SD

## **BP-1531-11** (Ref 4-HR1005)

### FOR 1" ID HOSE

Hose Stop Dim: 3.5" OD 1.406" ID 2.88" Thick For Series: D9000, E9000, FE9000, 3100, 4800, SD

### **BP-1531-12** (Ref S600547-1)

### **FOR 1-1/4" ID HOSE**

Hose Stop Dim: 3.69" OD 1.718" ID 2.62" Thick


For Series: FE9500, FF9500, 4800

### **BP-1531-13** (Ref S600547-2)

### **FOR 1-1/2" ID HOSE**

Hose Stop Dim: 3.69" OD 1.968" ID 2.62" Thick

For Series: FE9600, FF9600, 4800



For Series: TH8000, TW80000, 3100T,

TH7000, TW8000

## Also see next page for swivel and kit for Lincoln Reels



FOR LINCOLN

### **BP-1525L** (Ref 85516)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.611" ID 1.14" Thick

### BP-1526L (Ref 85517)

### FOR 1/2" ID HOSE

Hose Stop Dimensions:

3.625" OD 0.78" ID 1.14" Thick



## **BP-1527L** (Ref 85515)

## FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

3.625" OD 0.522" ID 1.14" Thick



### **BP-1528L**

## **FOR 11/16" ID HOSE**

**Hose Stop Dimensions:** 

4.25" OD 1.375" ID 2" Thick




6

### **BP-1529L**

### **FOR 29/32" ID HOSE**

Hose Stop Dimensions:

4.25" OD





### **FOR SAMSON**



### **BP-1527** (Ref 2022)

### FOR 1/4" ID HOSE

**Hose Stop Dimensions:** 

0.522" ID 1.14" Thick



### **BP-1525** (Ref 2024)

### FOR 3/8" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.611" ID 1.14" Thick



### **BP-1526** (Ref 2026)

## FOR 1/2" ID HOSE

**Hose Stop Dimensions:** 

2.75" OD 0.78" ID 1.14" Thick



### **BP-1531-10** (Ref 2032)

### FOR 3/4" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.031" ID 2.88" Thick



## **BP-1531-11** (Ref 528001.370)

### FOR 1" ID HOSE

**Hose Stop Dimensions:** 

3.5" OD 1.406" ID 2.88" Thick



## **BL-2201-129** (Ref 807339, 824470)

**REEL SWIVEL KIT** Includes (4) Split Teflon Backup Rings and (2) O-Rings for Signature 2120-016, 2120-017 and Deluxe Signature 2220-008, 2220-009, 2220-010, 2220-012 and Classic Medium Pressure Model 2120-013

### **BL-2201-050** (Ref 824451)

### **SWIVEL FOR LOW & MEDIUM PRESSURE**

For 2120-016, 2120-017

## **FOR GRACO HOSE REELS**

**BL-1187-559** (Ref 187-559, 187559)

## **FITTING ELBOW / SWIVEL FOR GRACO HOSE REELS** For Series 500, 350, 250, others



**BL-1224-450** (Ref 224-450, 224450)

### **HOSE REEL SWIVEL KIT FOR GRACO**

For Low and Medium Pressure 100, 200, 350, 500 Series Reels Also see Hose Stops for Graco on page 4

Also see Hose Stops for Balcrank on page 3



### **BL-1224-460** (Ref 224-460, 224460)

### **SWIVEL REPAIR KIT FOR HIGH PRESSURE HOSE FOR GRACO**

For Series 500



**BL-115Y-503** (Ref 15Y-503, 15Y503)

### **LATCH REPAIR KIT FOR GRACO HOSE REELS** SVI IMPROVED!

SVI's All-Machined Latch Pawl offers superior strength.

## **FOR LINCOLN HOSE REELS**

Also see Hose Stops for Lincoln on page 6



## BL-2315-000 (Ref 83050)

### **HOSE REEL SWIVEL KIT FOR LINCOLN**

For 82181 Swivel found on Multiple Models



### BL-2314-999 (Ref 82181)

### **SWIVEL ASSEMBLY FOR LINCOLN HOSE REELS**

American-Made!

### PRODUCTS ON DEMAND

When word of the discontinuance of the auto tank drain for Champion air compressors reached SVI, SVI went right into resource engineering mode. Engineering drawings were created, tooling was purchased, parts were produced and the auto tank drain valve for Champion was re-introduced by SVI. In addition, the rebuild kit for drain valve was also introduced. This saves compressor owners and distributors tons of money without the expense of retrofitting something different. SVI is your Answer!

Auto Tank Drain Valve for Champion AS-2201-04 (Ref ZTD1)

800-321-8173

www.hosestops.com

# **HOSE STOPS** bumpers **BALL STOPS**



BP-1532-83 (Ref # HS-45) For 1-1/4" to 2" Hoses **Hannay Reel Style** Specify Hole Size

SVI strives to offer the largest selection of Ball Stops / Hose Stops available for all types of hose reels. The selection will include even the large size stops not previously included in SVI's selection of hose reel hose stops.

Hose Reel Hose Stops have many names—hose stops, hose bumpers, ball stops, and others. No matter the terminology you use, or the style you need, SVI has various styles of hose stops for many industries and applications. Our inventory is constantly growing and SVI has become a huge resource in the industry for hose stops at industry-best pricing.

All SVI hose stops will be the most competitively priced stops available across the board for all the industries they will support.

## WWW.HOSESTOPS.COM

### **APPLICATIONS**

Industrial

Communications

**Automotive** 

**Fuel Delivery** 

Military

Firefighting

Maritime

Paving / Sealcoating

Aviation / Ground Support

Mining

Sewer / Well Cleaning

Construction

Offshore Drilling

Turf / Irrigation

Mobile Lubrication

Welding

Call today: 800-321-8173

**EXCELLENT Quantity-Based Pricing!!** 



BL-8675-86

## **Strainer Assembly**

for Waste Hose Suction Lines & Fluid Transfer

Stop the mess and make clogs easier to solve than ever before.

This waste oil suction line strainer from SVI allows for the free flow of oil in one direction. Hold vertically or horizontally under slight back pressure to prevent backflow leaking. Get a clog, pull the suction line out, wipe the clog clear and go right back to pumping without all the mess and stress.

Made of a durable nylon material, this strainer assembly is a must-have for anyone who routinely engages in waste oil evacuation or fluid transfer systems. SVI is your Answer! Call for more information or to place an order.

