BALTIMORE • CHICAGO • LOS ANGELES

KINGSTON

Est.1908

FLOOR CARE VALVES, UPHOLSTERY AND SPECIALTY VALVES

Kingston Floor Care Valves are largely used for carpet cleaning wands, hand tools, and similar applications.

SVI offers Great Pricing!
Your Best Source for all Kingston Valves!
Call Now!

SVI INC
Since 1977

SVI is a large stocking distributor of Kingston Valves.

WE SHIP ACROSS THE USA & INTERNATIONALLY.

SVI International, Inc.

800-321-8173 • 815-748-0200

Main Office: 155 Harvestore Drive • DeKalb, IL 60115 USA

MODEL 167

KINGSTON #	SVI #	DESCRIPTION
167-1-1	FK-167-1-1	Upholstery Tool Valve Model 167, Brass, Normally Closed Flow Control, Forged Body, Stainless Steel Stem, Teflon Disc, Buna-N Seals, 500 MOP, -40°F to 300°F, Steel Lever, 1.5" Wand Bracket
167100	FK-167100	Upholstery Tool Valve, Brass, Normally Closed Flow Control, Forged Body, Stainless Steel Stem, Teflon Disc, Buna-N Seals, 500 MOP, -40°F to 300°F, Steel Lever
167-KIT	FK-167-KIT	Model 167-1-1 Servicing Kit, Includes Buna-N O-Ring (Cap), Buna-N O-Ring (Stem), Teflon Disc, Stainless Steel Stem, Spring
167005-KIT	FK-167005-KIT	Model 167-1-1 Bracket Kit, Includes (2) 1.5" Wand Brackets, (2) Nuts, (2) Screws

167-1-1

KING 1000 / MODEL 251FT

251FT-2-2	FK-251FT-2-2	Model 251FT Valve, Brass, Heavy Duty, Truck Mount, Normally Closed Flow Control, Forged Body, Stainless Steel Stem, Teflon Disc, Buna-N Seals, 1000 psi MOP, -40°F to 225°F, Steel Lever
251FT-KIT	FK-251FT-KIT	Model 251FT Servicing Kit, Includes Buna-N O-Ring (Cap), (2) Viton O-Rings (Stem), Teflon Disc, Disc Cage Screw, Stainless Steel Stem, Spring, Loctite
251-CAP-KIT	FK-251-CAP-KIT	Model 251FT Cap Kit, Includes 1 Cap, O-Ring and Spring 251FT Flow Control Valve

251FT

MODEL 251

251-30	FK-251-30	Model 251-30 Valve, 30° "K" Valve, Brass, Normally Closed Flow Control, Forged body, Stainless Steel Stem, Teflon Disc, Viton Seals, 1200 MOP, -40°F to 225°F, Steel Lever
251-30-KIT	FK-251-30-KIT	Model 251-30 Servicing Kit, Includes Buna-N O-Ring (Cap), (2) Viton O-Rings (Stem), Teflon Disc, Disc Cage, Screw, Stainless Steel Stem, Spring

251-30

MODEL 253 - BUNA-N SEALS

Model 253 - Choose Lever Option Below		Model 253 Valve, Brass, Normally Closed Flow Control, Forged Body, Nickel-Plated Brass Stem, **Buna-N Disc / Seals**, 350 MOP, -40°F to 400°F
2532NN342-A	FK-2532NN342-A	Model 253 Valve (Buna-N) with 5" Steel Lever
2532NN342-B	FK-2532NN342-B	Model 253 Valve (Buna-N) with 3" Brass Lever
2532NN342-C	FK-2532NN342-C	Model 253 Valve (Buna-N) with 3" Steel Lever
2532NN342-O	FK-2532NN342-O	Model 253 Valve (Buna-N) with No Lever
252A-KIT	FK-252A-KIT	Model 253 / 254 Seals Servicing Kit, Includes Buna-N Seals for 254 and 34 Spring
2532NN34EN-KIT	FK-2532NN34EN-KIT	Model 2532NN Stem Servicing Kit, Includes Stem Assembly with Nickel-Plated Stem, Buna-N Seals for 254 and 188 Spring.

KINGSTON

MODEL 253 - ETHYLENE PROPYLENE (EP) SEALS

Model 253 - Choose Lever Option Below		Model 253 Valve, Brass, Normally Closed Flow Control, Forged Body, Nickel-Plated Brass Stem, **Ethylene Propylene Disc / Seals**, 350 MOP, -40°F to 400°F
2532EE342-A	FK-2532EE342-A	Model 253 Valve (EP) with 5" Steel Lever
2532EE342-B	FK-2532EE342-B	Model 253 Valve (EP) with 3" Brass Lever
2532EE342-C	FK-2532EE342-C	Model 253 Valve (EP) with 3" Steel Lever
2532EE342-O	FK-2532EE342-O	Model 253 Valve (EP) with No Lever
252A204EN	FK-252A204EN	Model 253 / 254 Stem Kit, Less Seals
252AEE-KIT	FK-252AEE-KIT	Model 253 / 254 Seals Servicing Kit, Includes Ethylene Propylene Seals for 254 and 34 Spring

MODEL 253 - VITON SEALS

Model 253 - Choose Lever Option Below		Model 253 Valve, Brass, Normally Closed Flow Control, Forged Body, Nickel-Plated Brass Stem, **Viton Disc / Seals**, 350 MOP, -40°F to 400°F
2532FF342-A	FK-2532FF342-A	Model 253 Valve (Viton) with 5" Steel Lever
2532FF342-B	FK-2532FF342-B	Model 253 Valve (Viton) with 3" Brass Lever
2532FF342-C	FK-2532FF342-C	Model 253 Valve (Viton) with 3" Steel Lever
2532FF342-O	FK-2532FF342-O	Model 253 Valve (Viton) with No Lever
252AFF-KIT	FK-252AFF-KIT	Model 253 / 254 Seals Servicing Kit, Includes Viton Seals for 254 and 34 Spring
252AFF206EN-KIT	FK-252AFF206EN-KIT	Model 2532FF Stem Servicing Kit, Includes Stem Assembly with Nickel-Plated Stem, Viton Seals for 254 and 188 Spring

253

MODEL 253 - TEFLON DISC / VITON SEALS

Model 253 - Choose Lever Option Below		Model 253 Valve, Brass, Normally Closed Flow Control, Forged Body, Nickel-Plated Brass Stem, **Teflon Disc / Viton Seals**, 350 MOP, -40°F to 400°F
2532TF1882-A	FK-2532TF1882-A	Model 253 Valve (Teflon / Viton) with 5" Steel Lever
2532TF1882-B	FK-2532TF1882-B	Model 253 Valve (Teflon / Viton) with 3" Brass Lever
2532TF1882-C	FK-2532TF1882-C	Model 253 Valve (Teflon / Viton) with 3" Steel Lever
2532TF1882-O	FK-2532TF1882-O	Model 253 Valve (Teflon / Viton) with No Lever
252ATF-KIT	FK-252ATF-KIT	Model 253 / 254 Seals Servicing Kit, Includes Teflon Disc / Viton O-Ring for 254 and 34 Spring
2532TF188-KIT	FK-2532TF188-KIT	Model 2532TF Stem Servicing Kit, Includes Stem Assembly with Nickel-Plated Stem, Teflon Disc / Viton Seals for 254 and 188 Spring

SVI INC

KINGSTON

MODEL 254 - BUNA-N SEALS

KINGSTON #	SVI #	DESCRIPTION
Model 254 - Choose Lever Option Below		Model 254 Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc / Seals**, 350 MOP, -40°F to 400°F
2542NN342-A	FK-2542NN342-A	Model 254 Valve (Buna-N) with 5" Steel Lever
2542NN342-B	FK-2542NN342-B	Model 254 Valve (Buna-N) with 3" Brass Lever
2542NN342-C	FK-2542NN342-C	Model 254 Valve (Buna-N) with 3" Steel Lever
2542NN342-O	FK-2542NN342-O	Model 254 Valve (Buna-N) with No Lever
2542NN34-KIT	FK-2542NN34-KIT	Model 2542NN Servicing Kit, Includes Stem Assembly with Buna-N Disc and Seals for 254 and Spring
252A-KIT	FK-252A-KIT	Model 253 / 254 Seals Servicing Kit, Includes Buna-N Seals for 254 and 34 Spring

MODEL 254 - ETHYLENE PROPYLENE (EP) SEALS

Model 254 - Choose Lever Option Below		Model 254 Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Ethylene Propylene Disc / Seals**, 350 MOP, -40°F to 400°F
2542EE342-A	FK-2542EE342-A	Model 254 Valve (EP) with 5" Steel Lever
2542EE342-B	FK-2542EE342-B	Model 254 Valve (EP) with 3" Brass Lever
2542EE342-C	FK-2542EE342-C	Model 254 Valve (EP) with 3" Steel Lever
2542EE342-O	FK-2542EE342-O	Model 254 Valve (EP) with No Lever
2542EE34-KIT	FK-2542EE34-KIT	Model 2542EE Servicing Kit, Includes Stem Assembly with Ethylene Propylene Disc / Seals for 254 and Spring
252AEE-KIT	FK-252AEE-KIT	Model 253 / 254 Seals Servicing Kit, Includes Ethylene Propylene Seals for 254 and 34 Spring

MODEL 254 - VITON SEALS

Model 254 - Choose Lever Option Below		Model 254 Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Viton Disc / Seals**, 350 MOP, -40°F to 400°F
2542FF342-A	FK-2542FF342-A	Model 254 Valve (Viton) with 5" Steel Lever
2542FF342-B	FK-2542FF342-B	Model 254 Valve (Viton) with 3" Brass Lever
2542FF342-C	FK-2542FF342-C	Model 254 Valve (Viton) with 3" Steel Lever
2542FF342-O	FK-2542FF342-O	Model 254 Valve (Viton) with No Lever
2542FF34-KIT	FK-2542FF34-KIT	Model 2542FF Servicing Kit, Includes Stem Assembly with Viton Disc / Seals for 254 and Spring
252AFF-KIT	FK-252AFF-KIT	Model 253 / 254 Seals Servicing Kit, Includes Viton Seals for 254 and 34 Spring

MODEL 254 - TEFLON DISC, VITON SEALS

Model 254 - Choose Lever Option Below		Model 254 Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Teflon Disc / Viton Seals**, 350 MOP, -40°F to 400°F
2542TF342-A	FK-2542TF342-A	Model 254 Valve (Teflon / Viton) with 5" Steel Lever
2542TF342-B	FK-2542TF342-B	Model 254 Valve (Teflon / Viton) with 3" Brass Lever
2542TF342-C	FK-2542TF342-C	Model 254 Valve (Teflon / Viton) with 3" Steel Lever
2542TF342-O	FK-2542TF342-O	Model 254 Valve (Teflon / Viton) with No Lever
2542TF34-KIT	FK-2542TF34-KIT	Model 2542TF Servicing Kit, Includes Stem Assembly with Teflon Disc / Viton Seals for 254 and 188 Spring
252ATF-KIT	FK-252ATF-KIT	Model 253 / 254 Seals Servicing Kit, Includes Teflon Disc / Viton Seals for 254 and 34 Spring

MODEL 254 - THREE-WAY VALVE

2543WV2NU342-O	FK-2543WV2NU342-O	Model 254 Three-Way Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc, Urethane O-Ring**, 350 MOP, -40°F to 400°F, **No Lever**
2543WV2NU342-C	FK-2543WV2NU342-C	Model 254 Three-Way Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc, Urethane O-Ring**, 350 MOP, -40°F to 400°F, **3" Steel Lever**
2543W2NN342-O	FK-2543W2NN342-O	Model 254 Three-Way Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc / O-Ring**, 350 MOP, -40°F to 400°F, **No Lever**
2543W2NN342-C	FK-2543W2NN342-C	Model 254 Three-Way Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc / O-Ring**, 350 MOP, -40°F to 400°F, **3" Steel Lever**
2543W2NE342-O	FK-2543W2NE342-O	Model 254 Three-Way Valve, Brass, Normally Closed Flow Control, Forged Body, Brass Stem, **Buna-N Disc, Ethylene Propylene O-Ring**, 350 MOP, -40°F to 400°F, **No Lever**
252A-KIT	FK-252A-KIT	Model 253 / 254 Seals Servicing Kit, Includes Buna-N Seals for 254 and 34 Spring

OTHER MODEL 254 SERVICING KITS

252A202-KIT	FK-252A202-KIT	Model 25X Cap Kit, Includes 1 Precision-Machined Brass Cap for 253 and 254 Kingston Valve
KC454-8-KIT	FK-KC454-8-KIT	Model 25X 5" Stainless Steel Lever Kit, Includes (1) 5" Stainless Steel Lever for 253 / 254 Kingston Valve and (1) Roll Pin

MODEL 258

2582ET1882-B	FK-2582ET1882-B	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **EPDM Disc and Teflon Packing**, 350 MOP, -40°F to 400°F, **3" Brass Lever**
2582ET1882-O	FK-2582ET1882-O	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **EPDM Disc and Teflon Packing**, 350 MOP, -40°F to 400°F, **No Lever**
2582ET1887-B	FK-2582ET1887-B	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **EPDM Disc and Teflon Packing**, 350 MOP, -40°F to 400°F, **3" Brass Lever, Stud and Nut**
2582ET1887-O	FK-2582ET1882-O	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **EPDM Disc and Teflon Packing**, 350 MOP, -40°F to 400°F, **No Lever, Stud and Nut**
2582TT1882-A	FK-2582TT1882-A	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **Teflon Disc / Packing**, 350 MOP, -40°F to 400°F, **5" Steel Lever**
2582TT1887-B	FK-2582TT1887-B	Model 258 Valve, Electroless Nickel-Coated Forged Brass Body, Normally Closed Flow Control, Nickel-Coated Brass Stem, **Teflon Disc / Packing**, 350 MOP, -40°F to 400°F, **3" Brass Lever, Stud & Nut**
258ET-KIT	FK-258ET-KIT	Model 258 Servicing Kit, Includes Teflon Packing and Ethylene Propylene Disc and 188 Spring
2582TT-KIT	FK-2582TT-KIT	Model 258 Servicing Kit, Includes Teflon Disc / O-Ring and 188 Spring

MODEL 259

2592EE342-O	FK-2592EE342-O	Model 259 Valve, Brass, Threaded Neck, Normally Closed Flow Control, Forged Body, Brass Stem, **Ethylene Propylene Disc / Seals**, 350 MOP, -40°F to 400°F, No Lever
259E-KIT	FK-259E-KIT	Model 259EE Servicing Kit, Includes Stem Assembly with **Ethylene Propylene Disc / Seals** for 259, Spring, Cap, Loctite and Washer

SAFETY VALVES

800-321-8173

PUMP RELIEVING, SIDE OUTLET RELIEF VALVES

103D-2-000	FK-102D-0250-XXX	Valve, Non-Code, Liquid Side Relief, High Pressure, Hard Seat, Stainless Steel Ball and Base, Brass Body, 10-1000psi (Specify), 1/4" NPT
103H-2-000	FK-102H-0250-XXX	Valve, Non-Code, Liquid Side Relief, Brass, Soft Seat, Viton Disc, 5-500psi (Specify), 1/4" NPT
103SS-2-000	FK-102SS-0250-XXX	Valve, Non-Code, Liquid Side Relief, Hard Seat, Stainless Steel Ball, Brass Body and Base, 5-500psi (Specify), 1/4" NPT

BALL VALVES / MINI BALL VALVES

800-321-8173

KMBVM-2	FK-32-0250CMF	Mini Ball Valve, Chrome-Plated Brass Ball / Body, Teflon Seat, **Male x Female, 1/4" NPT**, 400 WOG, Die Cast Handle
KMBVF-2	FK-32-0250CFF	Mini Ball Valve, Chrome-Plated Brass Ball / Body, Teflon Seat, **Female x Female, 1/4" NPT**, 400 WOG, Die Cast Handle
KBV-2	FK-32-0250	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Female x Female, 1/4" NPT**
KBV-3	FK-32-0375	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Female x Female, 3/8" NPT**
KBV-4	FK-32-0500	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Female x Female, 1/2" NPT**
KBV-5	FK-32-0750	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Female x Female, 3/4" NPT**
KBV-6	FK-32-1000	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Female x Female, 1" NPT**
KBVM-4	FK-32-0500M	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Male x Female, 1/2" NPT**
KBVM-6	FK-32-1000M	Full-Port Ball Valve, Brass, Chrome-Plated Brass Ball, Nickel-Plated Stem, **Male x Female, 1" NPT**

KMBVM-2B

KMBVF-2

KBV-4

KINGSTON

SVI International, Inc.
800-321-8173 • 815-748-0200
Main Office: 155 Harvestore Drive • DeKalb, IL 60115 USA
www.sviinternational.com