



ADJUSTABLE

TURF
AND UTILITY
TRAYS

FOR 2-POST LIFTS
SYMMETRIC / ASYMMETRIC



ADJUSTABLE WIDTH SYMMETRIC **AWS**

ADJUSTABLE WIDTH ASYMMETRIC **AWA**

**UNIVERSAL STYLE
TURF TRAYS FOR
2-POST LIFTS**

**2800 LB CAPACITY
(1400 LB / TRAY)**

*It couldn't be any easier—
very few, if any measurements
are needed when ordering
AWA or AWS TURF TRAYS from SVI!*



SVI International, Inc.
155 Harvestore Drive • DeKalb, IL 60115
800-321-8173 • 815-748-0200
E-Mail: parts@sviintl.com
www.sviinternational.com

BALTIMORE • CHICAGO • LOS ANGELES



ADJUSTABLE WIDTH

SYMMETRIC: MINIMUM WIDTH = 86-3/4" TO MAXIMUM WIDTH = 121-3/4" BETWEEN ARMS
ASYMMETRIC: MINIMUM WIDTH = 52-1/2" TO MAXIMUM WIDTH = 81-1/2" BETWEEN ARMS

SYMMETRICAL TRAYS (AWS)

SVI # BH-7357-01

SPECIFICATIONS:

Capacity: 1400 lbs Total Equal Load Capacity at 72" Centers per tray when Fully Extended

Arm Size: 5" to 3" Arm Widths

Minimum Outside Length: 98-3/4"

Maximum Outside Length: 134-1/8"

Minimum Inside Length: 86-3/4"

Maximum Inside Length: 121-3/4"

Platform Metal Thickness: 1/4"

Overall Dims: 17-1/4" W x 10-15/16" H

Arm Slot Dims: 5-3/4" W x 15-1/2" L x 6-1/2" H

Specifications are Subject to Change.

ASYMMETRICAL TRAYS (AWA)

SVI # BH-7357-02

SPECIFICATIONS:

Capacity: 1400 lbs Total Equal Load Capacity at 72" Centers per tray when Fully Extended

Arm Size: 5" to 3" Arm Widths

Minimum Outside Length: 82-5/8"

Maximum Outside Length: 111-11/16"

Minimum Drive-Thru Length: 52-1/2"



Maximum Drive-Thru Length: 81-1/2"

Platform Metal Thickness: 1/4"

Overall Dims: 21-7/8" W x 10-15/16" H

Arm Slot Dims: 5-3/4" W x 21-3/16" L x 7-3/16" H

Arm Angles: 55 to 70 Degrees from column centers or 20 to 35 Degrees from Lift/Approach Centerline



Turf and utility vehicle lifting trays are an ideal solution for any shop with an automotive lift that also services lawnmowers, ATVs, UTVs, or just about any other motorized vehicle that isn't a car or a truck. SVI is the leader in standard and custom-made turf and utility vehicle attachments for lifts.

To add more versatility to any lift, as always—SVI is your Answer!



800-321-8173

E-Mail: parts@sviintl.com

ADJUSTABLE

TURF AND UTILITY **TRAYS**

FOR 2-POST LIFTS

SYMMETRIC / ASYMMETRIC

ADJUSTABLE

Turf Trays for 2-Post Lifts

SVI # BH-7357-01 Pictured for Symmetrical Lifts. See BH-7357-02 for Asymmetrical

TURF AND UTILITY VEHICLE LIFTING SOLUTIONS—SVI IS YOUR ANSWER!

TURF AND UTILITY TRAY **JACKS**



Available in
500 or 1000 lb.
Capacity Models.

Use Individually
or in Pairs.

*Optional lifting tray jack
assemblies provide users with an
even greater level of flexibility.*

Optional lifting tray jack assemblies provide users with an even greater level of flexibility. Turf Tray Jacks are easy to position on the tray rails and available in 500 or 1000 pound capacity models. Operation is easy, all you need is a socket and a ratchet and up or down it goes. Jacks can also be used in pairs for higher capacity lifting requirements or additional stability.

*For use on SVI turf and utility tray
attachments for automotive lifts.*



IDEAL FOR:

- Removing Wheels
- Servicing Drive Components
- Easier Access

To add more versatility to any lift, as always—SVI is your Answer!



*Turf Jacks
also available
for LPO and
HSR Style
Turf Trays*



800-321-8173

E-Mail: parts@sviintl.com

SVI Part #
BH-7357-05-AW
BH-7375-10-AW

Capacity
500 lb.
1,000 lb.


Description
Turf Tray Jack for Adjustable Trays
Turf Tray Jack for Adjustable Trays

TURF TRAYS FOR 2-POST LIFTS

SVI IS THE GO-TO SOURCE.

TURF TRAYS

(FORKS AVAILABLE, TOO!)



Rubber Block Height Extensions

6.25" x 4.75"

Tall (3") BH-9756-86

Short (1.5") BH-9756-87

TURF JACKS

For AWS, AWA, LPO, HSR Turf Trays



SESM LIFTS

~ DOES NOT REQUIRE ELECTRICITY
OR HYDRAULIC PUMP ~



**Easy to Install!
No Piping
Required!**



SVI International, Inc.

155 Harvestore Drive • DeKalb, IL 60115

800-321-8173 • 815-748-0200

E-Mail: parts@sviintl.com

TURF AND UTILITY VEHICLE LIFTING SOLUTIONS—SVI IS YOUR ANSWER!

Entire contents copyright © 2020, SVI International, Inc. Specifications are subject to change. 11.03.2020

www.sviinternational.com